



## Inset Glass Door Hinge Without Catch

**Product #** 754507195

### DESCRIPTION

#### For cabinets or showcases

This hinge is the ideal solution to give your glass cabinets and showcases a modern, sleek look.

Designed to accommodate multiple thicknesses of glass, this hinge, with a latch, is designed to fit inside cabinets.

The vertical and horizontal positions are adjustable during installation to ensure that the cabinets and showcases have excellent stability and a good finish.

Available in 3 different finishes to harmonize more easily with the rest of the hardware selected for cabinet design.

### ADVANTAGES AND BENEFITS

- Modern, sleek, and linear style. - Designed for glass cabinets or wooden showcases with glass doors - For glass thicknesses of 5 mm, 6 mm, and 8 mm. - Vertical and horizontal positions adjustable during installation.

### TECHNICAL SPECIFICATIONS

<b>Product #</b>	754507195
<b>Load Capacity</b>	Max. 33.1 lb*
<b>Material</b>	Brass
<b>Length</b>	1 25/32 in*
<b>Width</b>	1 7/8 in*
<b>Height</b>	1 25/32 in*
<b>Thickness of Glass</b>	3/16 to 5/16 in*
<b>Finish</b>	Satin Nickel
<b>Width of Door to Respect</b>	Max. 23 5/8 in*
<b>Use Type</b>	Glass
<b>Hinge Opening Angle</b>	+147°
<b>Brand</b>	Sugatsune

#### Disclaimer

Measures shown with an asterisk (\*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

### APPLICATION

- Inset application. - Shaping of the glass panel required with this hinge. - For a maximum glass door width of 600 mm per pair. - Maximum glass door weight of 33 lb (15 kg) per pair, including all accessories, such as handles, etc.

---

## IMPORTANT INFORMATION

This illustration is provided for visual reference only. Actual product may differ from the illustration. For safety purposes, use tempered glass. The use of power tools during installation may damage the hinges and decorative hardware. The glass must be shaped according to the section plane provided in the box. Always set the product in a suitable material. Never exceed the load or maximum size recommended by the manufacturer. Never use a spray lubricant on this product. Maintenance: clean with a soft cloth and non-abrasive soap or ammonia. Order hardware before starting the job. The manufacturer reserves the right to change product and information without notice. Always use the instructions inside the package. Drawings and technical documents contain examples of hardware from different manufacturers. The customer may in no case make a claim following the use of these documents. The Company disclaims any responsibility for the structural details related to a construction or project. Installation must be done by qualified personnel. Always make sure that the product is properly installed using suitable fixings to the support material. Never exceed the load or maximum size recommended by the manufacturer. Never use a spray lubricant on this product.

## PRODUCT PHOTOS



