



Three-Way T-Connector

Product # HR18420538170

DESCRIPTION

T-shaped right angle (90° x 180°) connector

Easy to use, high quality connector

This connector designed to connect three round tubes, making it possible to connect handrails to a baluster pole.

Its linear effect makes it a perfect match for the more modern balustrade style.

ADVANTAGES AND BENEFITS

Ideal for architectural projects such as glass, cable or rod balustrades Available in several sizes Allows several connections between round tubes: - Continuous inline connection between two handrails; - Handrail binding to a baluster pole at a 90° angle.

REQUIRED PRODUCTS

Requires the following products

Sales unit



Stainless Steel Glue Activator

Product # HR19133100001

AND



Stainless Steel Glue

Product # HR19133100000

TECHNICAL SPECIFICATIONS

Product #	HR18420538170
Handrail Type	Round Tubing
Finish	Stainless Steel
Recommended Location Usage	Interior
Material	Stainless Steel 304
Handrail Size	ø 38.1 mm (1 1/2")
Baluster Post Size	ø 38.1 mm (1 1/2")
Curvature angle	90°, 180°
Thickness	3/32 in*
Category	Connectors
Baluster Post Type	Round Tube

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

APPLICATION

A glue strand during assembly helps to solidify and better secure the connection between the components.

IMPORTANT INFORMATION

Be sure to set the product in a suitable material. Never use aerosol lubricant on this product. Maintenance: clean the product with a soft cloth and a non-abrasive soap or ammonia. The image is provided for visual reference purposes only. The product may differ from the illustration. Be sure to order the hardware before starting work. The manufacturer reserves the right to modify any product or information without notice; always follow the instructions provided inside the package. All drawings and technical documents show mounting examples that use hardware from different manufacturers. The customer can not make any claim as a result of the use of these documents. The company declines all responsibility for structural details related to a construction or project. Always entrust the execution of your work to qualified persons.

DISCLAIMER

The preceding information as well as any technical recommendation given in writing, verbally or based on tests is provided to the best of our knowledge. However, recommendations are non-binding and do not diminish your responsibility for determining the correctness of these recommendations and the suitability of the product for your particular purpose. The application, use or processing of our products as well as the production of products based on our technical recommendations are beyond our control and therefore exclusively your responsibility. Sales of our products are subject to our most recent General Sales and Delivery Conditions. Please note that Richelieu will not accept any returns or claims for unpackaged products.

PRODUCT PHOTOS

