



Round Wall Mount Fixed Bracket with Cover Plate

Product # SSWB111216GB

Finish Black Stainless Steel

Arm Size 1/2 in

Arm Height 1 15/16 in

DESCRIPTION

For standard space

Stainless steel bracket with cast 3-hole mounting plate, designed for mounting a handrail on a wall.

Can be installed with round or flat surface handrails by choosing the appropriate saddle (sold separately).

The screws to install the saddle and the snap-fit plate cover are included with the bracket.

ADVANTAGES AND BENEFITS

Slotted holes on mounting plate allow for more flexibility in adjusting the angle during installation.

REQUIRED PRODUCTS

Requires ONE of the following products

Sales unit



Inline Saddle for Round Surface Handrails

Product # SSUA001031GB

Finish: Black Stainless
Steel

Handrail Size: ø 42.4 mm (1
27/32")

OR



Inline Saddle for Round Surface Handrails

Product # SSUA001061GB

Finish: Graphite
Black

Handrail Size: ø 38.1 mm (1
1/2")

OR



90° Saddle for Flat Surface Handrails

Product # SSUA001211GB

OR



Inline Saddle for Flat Surface Handrails

Product # SSUA001011GB

TECHNICAL SPECIFICATIONS

Product #	SSWB111216GB
Type of Mounting	Wall Mount
Recommended Location Usage	Interior, Exterior
Adjustment	Fixed Position
Projection	3 1/8 in
Material	Stainless Steel 316
Mounting Side	Reversible
Glass Drilling	Not Required
Mounting Plate	2 5/16 in
Saddle	Sold Separately
Screw	Not Included

INCLUDED PRODUCT(S)

Includes snap-fit finishing wall plate for easy installation. Mounting and assembly screws not included.

IMPORTANT INFORMATION

This illustration is provided for visual reference only. Actual product may vary. Order hardware before starting the job. The manufacturer reserves the right to change product and information without notice. Always follow the instructions inside the package. Drawings and technical documents contain examples of hardware from different manufacturers. The customer may not in any case make a claim following the use of these documents. The Company disclaims any responsibility for the structural details related to a construction or project. Installation must always be done by qualified personnel. Make sure that the product is properly installed in the support material using proper fixtures. Never exceed the maximum load or size recommended by the manufacturer. Never use a spray lubricant on this product.

APPLICATION

- For bracket installation: hanger bolt M8 x 12.7 mm (1/2"), 3-5/32" in length (HR93010088014) - For handrail tubing: #8 x 25 mm (1") pan head (PKTS81VP)

DISCLAIMER

The preceding information as well as any technical recommendation given in writing, verbally or based on tests is provided to the best of our knowledge. However, recommendations are non-binding and do not diminish your responsibility for determining the correctness of these recommendations and the suitability of the product for your particular purpose. The application, use or processing of our products as well as the production of products based on our technical recommendations are beyond our control and therefore exclusively your responsibility. Sales of our products are subject to our most recent General Sales and Delivery Conditions. Please note that Richelieu will not accept any returns or claims for unpackaged products.

PRODUCT PHOTOS

