



Square Post Mount Angle Adjustable Bracket With Molded Base

Product # SSZT1404016S

DESCRIPTION

Adjustable bracket

Stainless steel bracket, designed to support a handrail on a post.
Can be installed with flat surface handrails

ADVANTAGES AND BENEFITS

Easy to use, insert and glue the base of the bracket inside the top end of the square baluster pole. The adjustable angle allows a better alignment of the handrail.

TECHNICAL SPECIFICATIONS

| | |
|-----------------------------------|---------------------|
| Product # | SSZT1404016S |
| Type of Mounting | Post Mount |
| Handrail Type | Flat Tubing |
| Recommended Location Usage | Interior, Exterior |
| Adjustment | Adjustable Angle |
| Finish | Stainless Steel |
| Material | Stainless Steel 316 |
| Glass Drilling | Not Required |
| Arm Size | 9/16 in |
| Arm Height | 3 5/32 in |
| Thickness | 3/32 in* |
| Category | Brackets |
| Baluster Post Type | Square Tube |

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

APPLICATION

Ideal for architectural projects such as staircases and glass, cable or rod balustrades A glue strand during assembly helps to solidify and better secure the connection between the components.

IMPORTANT INFORMATION

This illustration is provided for visual reference only. Actual product may vary. Order hardware before starting the job. The manufacturer reserves the right to change product and information without notice. Always follow the instructions inside the package. Drawings and technical documents contain examples of hardware from different manufacturers. The customer may not in any case make a claim following the use of these documents. The Company disclaims any responsibility for the structural details related to a construction or project. Installation must always be done by qualified personnel. Make sure that the product is properly installed using suitable fixings to the support material. Never exceed the maximum load or size recommended by the manufacturer. Never use a spray lubricant on this product. The design of this product meets industry standards and safety code requirements. Always consult an authorized engineer prior to assembly to ensure that the installation meets the requirements of local building codes.

DISCLAIMER

The preceding information as well as any technical recommendation given in writing, verbally or based on tests is provided to the best of our knowledge. However, recommendations are non-binding and do not diminish your responsibility for determining the correctness of these recommendations and the suitability of the product for your particular purpose. The application, use or processing of our products as well as the production of products based on our technical recommendations are beyond our control and therefore exclusively your responsibility. Sales of our products are subject to our most recent General Sales and Delivery Conditions. Please note that Richelieu will not accept any returns or claims for unpackaged products.

PRODUCT PHOTOS

