



90° Curved Elbow for Handrail

Finish



Recommended Location Usage

Interior	Interior /
	Exterior

Material

Stainless	Stainless
Steel 304	Steel 316

Handrail Size

ø 38.1 mm (1	ø 42.4 mm (1
1/2")	27/32")

Baluster Post Size

ø 38.1 mm (1	ø 42.4 mm (1
1/2")	27/32")

Thickness

DESCRIPTION

Curved flush elbow for handrail

Easy to use, high quality finish corner connector

This elbow is designed to connect two round tubes, which makes it possible to connect handrails to create a 90° corner.

With its curved elbow, it fits perfectly with all styles of balustrades ensuring a more discreet effect.

ADVANTAGES AND BENEFITS

Ideal for architectural projects such as staircases and glass, cable or rod balustrades Can also be used for bar counter footrest applications. Available in several sizes



AVAILABLE PRODUCTS

Product #	Finish	Recommended Location Usage	Material	Handrail Size	Baluster Post Size	Thickness
SSEB302011GB	Graphite Black	Interior / Exterior	Stainless Steel 316	ø 42.4 mm (1 27/32")	ø 42.4 mm (1 27/32")	3/32 in*
SSEB3040316S	Satin Stainless Steel	Interior / Exterior	Stainless Steel 316	ø 38.1 mm (1 1/2")	ø 38.1 mm (1 1/2")	1/16 in*
HR18420142170	Stainless Steel	Interior	Stainless Steel 304	ø 42.4 mm (1 27/32")	ø 42.4 mm (1 27/32")	3/32 in*
HR18620142170	Stainless Steel	Interior / Exterior	Stainless Steel 316	ø 42.4 mm (1 27/32")	ø 42.4 mm (1 27/32")	3/32 in*
SSEB3020116S	Stainless Steel	Interior / Exterior	Stainless Steel 316	ø 42.4 mm (1 27/32")	ø 42.4 mm (1 27/32")	3/32 in*

TECHNICAL SPECIFICATIONS

Handrail Type	Round Tubing
Curvature angle	90°
Category	Connectors
Baluster Post Type	Round Tube

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, <u>click here</u>.

APPLICATION

A glue strand during assembly helps to solidify and better secure the connection between the components.

IMPORTANT INFORMATION

Be sure to set the product in a suitable material. Never use aerosol lubricant on this product. Maintenance: clean the product with a soft cloth and a non-abrasive soap or ammonia. The image is provided for visual reference purposes only. The product may differ from the illustration. Be sure to order the hardware before starting work. The manufacturer reserves the right to modify any product or information without notice; always follow the instructions provided inside the package. All drawings and technical documents show mounting examples that use hardware from different manufacturers. The customer can not make any claim as a result of the use of these documents. The company declines all responsibility for structural details related to a construction or project. Always entrust the execution of your work to qualified persons.

DISCLAIMER

The preceding information as well as any technical recommendation given in writing, verbally or based on tests is provided to the best of our knowledge. However, recommendations are non-binding and do not diminish your responsibility for determining the correctness of these recommendations and the suitability of the product for your particular purpose. The application, use or processing of our products as well as the production of products based on our technical recommendations are beyond our control and therefore exclusively your responsibility. Sales of our products are subject to our most recent General Sales and Delivery Conditions. Please note that Richelieu will not accept any returns or claims for unpackaged products.



PRODUCT PHOTOS





