



Connector Elbow for Handrail, Right Hand

Recommended Location Usage

Interior

 Interior /
Exterior

Material

 Stainless
Steel 304

 Stainless
Steel 316

Handrail Size

 ø 38.1 mm (1
1/2")

 ø 42.4 mm (1
27/32")

DESCRIPTION

90° Angle, Adjustable to 70°

Angle of handrail tubing is adjustable.
Perfect for custom railings.

AVAILABLE PRODUCTS

Product #	Recommended Location Usage	Material	Handrail Size
HR18427338R170	Interior	Stainless Steel 304	ø 38.1 mm (1 1/2")
SSEBLNDRIGHT	Interior / Exterior	Stainless Steel 316	ø 42.4 mm (1 27/32")

TECHNICAL SPECIFICATIONS

Handrail Type	Round Tubing
Finish	Stainless Steel
Mounting Side	Right Side
Curvature angle	0° to 70°, 110° to 180°, 90°
Thickness	3/32 in*
Category	Connectors

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

IMPORTANT INFORMATION

The use of power tools during installation may damage the decorative hardware. Always set the product in a suitable material. Never exceed the load or maximum size recommended by the manufacturer. Never use a spray lubricant on this product. Maintenance: clean with a soft cloth and non-abrasive soap or ammonia. This illustration is provided for visual reference only. Actual product may differ from the illustration. Order hardware before starting the job. The manufacturer reserves the right to change product and information without notice. Always use the instructions inside the package. Drawings and technical documents contain examples of hardware from different manufacturers. The customer may in no case make a claim following the use of these documents. The Company disclaims any responsibility for the structural details related to a construction or project. Installation must be done by qualified personnel. Always make sure that the product is properly installed using suitable fixings to the support material. Never exceed the load or maximum size recommended by the manufacturer. Never use a spray lubricant on this product.

DISCLAIMER

The preceding information as well as any technical recommendation given in writing, verbally or based on tests is provided to the best of our knowledge. However, recommendations are non-binding and do not diminish your responsibility for determining the correctness of these recommendations and the suitability of the product for your particular purpose. The application, use or processing of our products as well as the production of products based on our technical recommendations are beyond our control and therefore exclusively your responsibility. Sales of our products are subject to our most recent General Sales and Delivery Conditions. Please note that Richelieu will not accept any returns or claims for unpackaged products.

PRODUCT PHOTOS

