



Square Post Mount Tubular Angle-Adjustable Handrail Brackets

Handrail Type

Flat Tubing

Round Tubing

Recommended Location Usage

Interior

Interior /
Exterior

Height

3 5/32 in*

3 3/16 in*

Material

Stainless
Steel 304

Stainless
Steel 316

Handrail Size

ø 50.8 mm
(2")

DESCRIPTION

Articulated bracket, for round tube

Articulated bracket designed to personalize round handrails for installation on square tubes

ADVANTAGES AND BENEFITS

Articulated bracket to more easily tilt the angle of the handrail when used in a staircase application Simple to use - insert and glue the base of the bracket inside the upper end of the baluster pole and screw the caliper onto the handrail

AVAILABLE PRODUCTS

Product #	Handrail Type	Recommended Location Usage	Height	Material	Handrail Size
HR20424700170	Flat Tubing	Interior	3 5/32 in*	Stainless Steel 304	
HR20624750170	Round Tubing	Interior / Exterior	3 3/16 in*	Stainless Steel 316	ø 50.8 mm (2")

TECHNICAL SPECIFICATIONS

Type of Mounting	Post Mount
Adjustment	Adjustable Angle
Finish	Stainless Steel
Baluster Post Size	40 mm x 40 mm (1 9/16" x 1 9/16")
Glass Drilling	Not Required
Thickness	3/32 in*
Category	Brackets
Baluster Post Type	Square Tube

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

APPLICATION

- Use the HR94051151614 screw for installation of a steel handrail.

IMPORTANT INFORMATION

Picture for visual reference only: actual product may vary from that shown in photo. Be sure to order hardware before beginning fabrication or installation work. Always use the instructions inside the packaging provided by the manufacturer, as the manufacturer reserves the right to make technical changes or modify information without prior notice. All technical drawings and documents contain examples of the assembly of different suppliers' hardware. The customer cannot base any claims on the use of these documents. Then company does not assume responsibility for design details relating to a particular construction project. At all times, execution and installation must be undertaken by qualified persons. Always be sure to install the product correctly using the right fasteners for your materials. Never exceed the maximum load or the maximum dimensions recommended by the manufacturer. Never use spray lubricant on these products. The design of this product meets industry standards and safety code requirements. Always consult an authorized engineer prior to assembly to ensure that the installation meets the requirements of local building codes.

DISCLAIMER

The preceding information, as well as any technical recommendations given in writing, verbally or based on tests, is provided to the best of our knowledge. However, they are non-binding recommendations only and do not affect your responsibility to determine the correctness of given recommendations and suitability of the product for your particular purposes. The application, use or processing of our products as well as the production of products based on our technical recommendations are beyond our control and therefore fall exclusively in your area of responsibility. Sales of our products are subject to our most recent General Sales and Delivery Conditions. Please note that Richelieu will not accept any returns or claims for unpackaged products

PRODUCT PHOTOS

