




Inset Glass Door Hinge With Catch

Finish



DESCRIPTION

For cabinets or showcases

This glass door hinge gives a modern and clean look to cabinets and showcases.

Designed to accommodate multiple thicknesses of glass, this hinge, with a latch at its junction, is designed to fit inside cabinets.

The vertical and horizontal positions are adjustable during installation to ensure that cabinets and showcases have excellent stability and a nice finish.

Available in 3 different finishes to easily harmonize with the rest of the hardware selected for cabinet design.

ADVANTAGES AND BENEFITS

- Can be used with different glass thicknesses (5 mm to 8 mm). - Adjustable vertical and horizontal installation positions. - Suitable for showcases and cabinets with glass doors.

AVAILABLE PRODUCTS

Product #	Finish
754500140	Chrome
754500131	Gold
754500195	Satin Nickel

TECHNICAL SPECIFICATIONS

Load Capacity	Max. 33.1 lb*
Material	Brass
Length	1 25/32 in*
Width	1 7/8 in*
Height	1 25/32 in*
Thickness of Glass	3/16 to 5/16 in*
Width of Door to Respect	Max. 23 5/8 in*
Height of Door to Respect	Max. 47 1/4 in*
Use Type	Glass
Hinge Opening Angle	+140°
Brand	Sugatsune

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

APPLICATION

- For installation in cabinet interiors -Glass panel must be cut to use this hinge -Must be used as a pair for glass doors measuring 23-5/8" L x 47" H, with a maximum weight of 33 lb (15 kg) - Applicable door thicknesses: 5 mm (with 3 spacers), 6 mm (with 2 spacers), and 8 mm (no spacer required)

IMPORTANT INFORMATION

This illustration is provided for visual reference only. Actual product may differ from the illustration. For safety purposes, use tempered glass. The use of power tools during installation may damage the hinges and decorative hardware. The glass must be shaped according to the section plane provided in the box. Always set the product in a suitable material. Never exceed the load or maximum size recommended by the manufacturer. Never use a spray lubricant on this product. Maintenance: clean with a soft cloth and non-abrasive soap or ammonia. Order hardware before starting the job. The manufacturer reserves the right to change product and information without notice. Always use the instructions inside the package. Drawings and technical documents contain examples of hardware from different manufacturers. The customer may in no case make a claim following the use of these documents. The Company disclaims any responsibility for the structural details related to a construction or project. Installation must be done by qualified personnel. Always make sure that the product is properly installed using suitable fixings to the support material. Never exceed the load or maximum size recommended by the manufacturer. Never use a spray lubricant on this product.

PRODUCT PHOTOS

