



## Riveo Aqua Deluxe 03 Kit

### Finish

 Bright  
Polished  
Chrome

 Brushed  
Nickel

Matte Black

### DESCRIPTION

#### Kit for shower in a niche with sliding door

Stainless steel hardware kit for the design of a shower with access through a sliding door inside a niche.

This set includes uprights for the vertical adjustment of the fixed panels.

The handle matches the hardware.

Ball bearings offer continuous rolling comfort.

Note: The dimensions provided for the maximum height is calculated in relation to the use of uprights included in the set. However, for taller panels, you may use glass extrusions or fixtures (not included).

### ADVANTAGES AND BENEFITS

- Features one sliding door and one fixed panel - High quality rollers ensure the door moves smoothly - Minimal components create an open look, displaying more glass and less hardware

### AVAILABLE PRODUCTS

Product #	Finish
705AQUA03D171	Bright Polished Chrome
705AQUA03D170	Brushed Nickel
705AQUA03D900	Matte Black

## TECHNICAL SPECIFICATIONS

<b>Application</b>	Single Sliding
<b>Load Capacity</b>	Max. 220 lb*
<b>Glass Thickness</b>	5/16 to 13/32 in*
<b>Recommended Door Height</b>	Max. 74 3/8 in*
<b>Max. Fixed Panel Height</b>	Max. 74 3/4 in*
<b>Recommended Door Width</b>	Max. 38 5/8 in*
<b>Enclosure Width</b>	Max. 75 3/8 in*
<b>Recommended Fixed Panel Width</b>	38 5/8 in*
<b>Brand</b>	Riveo
<b>Material</b>	Stainless Steel: 304

### Disclaimer

Measures shown with an asterisk (\*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

## APPLICATION

Can be used in hotel or residential applications.

## INCLUDED PRODUCT(S)

- Hardware is included for the door and fixed panel. - Vertical standards in stainless steel for fixed glass. - Door seals to prevent water splashing out of the shower. - Two handles included. Refer to the assembly document for the detailed list. \* Base, faucet and glass are not included.

## IMPORTANT INFORMATION

For safety purposes, use tempered glass. The glass must be shaped according to the section plane provided in the box. The use of power tools during installation may damage the hinges and decorative hardware. This illustration is provided for visual reference only. Actual product may vary. Order hardware before starting the job. The manufacturer reserves the right to change product and information without notice. Always follow the instructions inside the package. Drawings and technical documents contain examples of hardware from different manufacturers. The customer may not in any case make a claim following the use of these documents. The Company disclaims any responsibility for the structural details related to a construction or project. Installation must always be done by qualified personnel. Make sure that the product is properly installed using suitable fixtures on the support material. Never exceed the maximum load or size recommended by the manufacturer. Never use a spray lubricant on this product. Maintenance: clean with a soft cloth and soap that is ammonia-free and nonabrasive.

## DISCLAIMER

The preceding information as well as any technical recommendation given in writing, verbally or based on tests is provided to the best of our knowledge. However, recommendations are non-binding and do not diminish your responsibility for determining the correctness of these recommendations and the suitability of the product for your particular purpose. The application, use or processing of our products as well as the production of products based on our technical recommendations are beyond our control and therefore exclusively your responsibility. Sales of our products are subject to our most recent General Sales and Delivery Conditions. Please note that Richelieu will not accept any returns or claims for unpackaged products.

---

## PRODUCT PHOTOS

