



Round Glass Mount Adjustable Height Bracket

Finish



Mounting Plate

1 1/2 in

2 in

DESCRIPTION

Adjusts vertically from 40 - 80 mm

Stainless steel bracket, designed to support a handrail off a glass panel and adjustable to your desired height.

Can be installed with either round or flat surface handrails by choosing the appropriate saddle (sold separately).

The screws to install the saddle are included with the bracket.

ADVANTAGES AND BENEFITS

- Fully welded - M8 fastener included

AVAILABLE PRODUCTS

Product #	Finish	Mounting Plate
SSGF100X16GB	Graphite Black	1 1/2 in
SSGF001001GB	Graphite Black	2 in
SSGF100X16S	Stainless Steel	1 1/2 in
SSGF0010016S	Stainless Steel	2 in

TECHNICAL SPECIFICATIONS

Type of Mounting	Glass Mount
Recommended Location Usage	Interior, Exterior
Adjustment	Adjustable Height
Projection	3 1/8 in
Material	Stainless Steel 316
Safety Glass Thickness	13/32 to 31/32 in*
Glass Drilling	Required
Arm Size	1 in
Saddle	Sold Separately
Category	Brackets
Thread Type	M8
Milling Diameter	5/8 to 3/4 in

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

IMPORTANT INFORMATION

For safety purposes, use tempered glass. This illustration is provided for visual reference only. Actual product may differ from the illustration. Order hardware before starting the job. The manufacturer reserves the right to change product and information without notice. Always use the instructions inside the package. Always set the product in a suitable material. Maintenance: clean with a soft cloth and non-abrasive soap or ammonia. Drawings and technical documents contain examples of hardware from different manufacturers. The customer may in no case make a claim following the use of these documents. The Company disclaims any responsibility for the structural details related to a construction or project. Installation must be done by qualified personnel. Always make sure that the product is properly installed using suitable fixings to the support material.

DISCLAIMER

The preceding information as well as any technical recommendation given in writing, verbally or based on tests is provided to the best of our knowledge. However, recommendations are non-binding and do not diminish your responsibility for determining the correctness of these recommendations and the suitability of the product for your particular purpose. The application, use or processing of our products as well as the production of products based on our technical recommendations are beyond our control and therefore exclusively your responsibility. Sales of our products are subject to our most recent General Sales and Delivery Conditions. Please note that Richelieu will not accept any returns or claims for unpackaged products.

PRODUCT PHOTOS

